

## CRAWLER XR - CRAWLER XG - DUAL THREAT

"Quality When You Need It!"



# **PRODUCT CATALOG**

2019



"Quality When You Need It!"

## MRT Tire Testimonials



# "Quality When You Need It!"

66 I wouldn't be able to do it without my MRT tires allowing me to hookup and pass people. They are amazing tires and would recommend them to everyone! ""

Andrew Fausone



Phil Cagliero 1st place finish

66 Bad ass tire. Makes the strongest most durable tire available. All I run. If you want the toughest tire out this is it."

**Anthony Yount** 




MRT sells the best tires on the UTV Tire Market! Have been hitting the podium ever since I put these bad boys on."

Brandon Bryant



Romero Offroad finishes the Baja 1000, no spare required **66**What was most impressive was finishing the race and still having enough tire for what seems like another 1000 miles. That's reliability!!

Romero Offroad Racing



66 We ran the entire King of the Hammers on the original 4 tires we started with. no balls, no blocks, no B.S. just the best tires you can run period! ""

Mark Shea



"These tires are only for those who need a tire that is very hard to flat and will run flat. In 2 seasons I ripped one sidewalk out at The Mint 400 and ran 20 mi at near race speed."

George Felix



Paul Hart 1st place finish at the Metal Cloak Stampede



"MRT tires will be a huge part of this event and getting us to the finish line. Best tire hands down. Thank you for being such a great sponsor."

Renee A Fuscardo-Hudson



and Alex Johnson take first

and third at this weekends

UTV Rally Cross in Maine. ""

Mark Shea



MRT-MotoRaceTire.com | 17616 Gothard Street, Huntington Beach, CA. 92647 | 844-667-3684





## Superior Sidewall Strength &

## Superior Sidewall Strength through MRT's Continuous Improvement Program:

MRT knows the importance of quality and demonstrates this through every step of manufacturing. By testing, and gaining critical user feedback, MRT refines every step of the process to deliver the best of breed tire. The best anti-puncture, the best strength, the best performance in all terrain. MRT owns specialized tooling at certified US test labs to test anti-puncture, measuring strength of sidewall and affects of sidewall impacts.

MRT engineers use these tests along with the analysis of all flats / punctures to develop tires that now exceed 3X stronger than the competition! And we are not stopping there. We back our tires with our Continuous Improvement Program (CIP).

Quality When You Need It! MRT delivers! www.motoracetire.com/mrt-continuous-improvement-program/

Puncture Resistance

500 MRT

400

300

200

<u>KEVLAR</u> - Aramid/Kevlar is an organic fiber, best suited for applications where toughness is preferred. These fibers offer high strength, low weight, desired stiffness and thermal stability, and are 43% lighter than fiberglass, twice as strong as E-glass, and ten times as strong as aluminum.

These unique properties make it an exceptional fiber for use in MRT tires!

## PODIUM PROVEN UTV RACE TIRES!



Experience drives results and quality. It's this experience and years of racing and testing, that led MRT to develop its own proprietary blend of rubber using different levels and types of carbon, real rubber and synthetic rubber. The result is the MRT SS-RUBBER sticky tires! "Sticky compound that wears!"

#### MRT SUPER STICKY (SS) COMPOUND

MRT SS-RUBBER compound is designed for all race conditions, by racers! Proven to be the best UTV Race Tires on and off road.







★ 59 Stronger sidewall and tread core

★ 52 Sticky super grip lugs

42 SUPER STICKY super grip lugs



"Quality When You Need It!"



LIGHT FAST STRONG, TRIPLE KEVLAR BELT STICKY COMPOUND FOR BEST TRACTION

- ★ Ultra 4 Series Champion Tire, 3 years running
- ★ Smaller tread lug height and dual durometer gives this high-speed tire added rigidity and lateral stability when cornering
- ★ 16 mm tread depth, unique tread lug design excels in hard-packed fast terrain
- XR is LIGHTEST in Crawler line
- RUN FLAT 20-50 miles depending on load
- Aggressive tread, great in all-terrain and conditions



# Puncture Resistance 500 MRT 400 Competitors 200

## MRT SS - RUBBER COMPOUND

"STICKY COMPOUND THAT WEARS"

# CRAWLER XR DUAL DUROMETER

- 59 Stronger sidewall and tread core
- 52 Sticky super grip tread lugs



Part Number	Size	Description Items	Ply	Tread Dept	h Ibs	Load lbs
MRT-R28104K	28X10 R14	MRT / RACE SERIES PROARMOR CRAWLER XR	8	17/32	32	1100
MRT-R30104K	30X10 R14	MRT / RACE SERIES PROARMOR CRAWLER XR	8	17/32	34	1330
MRT-R30905K	30X9 R15	MRT / RACE SERIES PROARMOR CRAWLER XR	8	17/32	32	1330
MRT-R32105K	32X10 R15	MRT / RACE SERIES PROARMOR CRAWLER XR	8	16/25	37	1390

PODIUM PROVEN UTV RACE TIRES!










Why Choose Crawler XG?

LIGHT FAST STRONG, TRIPLE KEVLAR BELT STICKY COMPOUND FOR BEST TRACTION

- ★ Taller tread lug height dual-duro construction
- ★ Perfect balance high-speed performance, durability and flex in order to grip slick rock
- ★ 20MM tread depth: XG has a deeper Lug for better ROCK and MUD traction
- ★ Reinforced apex bead prevents bead pinch flats and provides a stronger seal for low pressure riding
- ★ Flat tread profile for larger traction patch makes steering more predictable
- ★ Deep square tread extra grip in all-terrain



# Puncture Resistance



# MRT SS - RUBBER COMPOUND "STICKY COMPOUND THAT WEARS"

CRAWLER XG
DUAL DUROMÉTER

59 Stronger sidewall and tread core52 Sticky super grip tread lugs

42 SUPER sticky super grip tread lugs



Part Number	Size	Description Items	Ply	Tread Depth	lbs	Load lbs
MRT-X30104K	30X10 R14	MRT / XROX DD RACE SERIES PROARMOR CRAWLER XG	8	25/32	38	1170
MRT-X32104K	32X10 R14	MRT / XROX DD RACE SERIES PROARMOR CRAWLER XG	8	25/32	41	1420
MRT-XS32104K	32X10 R14	MRT / XROX DD RACE SERIES PROARMOR CRAWLER XG - SUPER STICKY	8	25/32	42	1420
MRT-X32105K	32X10 R15	MRT / XROX DD RACE SERIES PROARMOR CRAWLER XG	8	25/32	42	1420
MRT-X32105K	32X10.5 R16	MRT / XROX DD RACE SERIES PROARMOR CRAWLER XG	8	25/32	42	1420



"Quality When You Need It!"



Part Number	Size	Description Items	Ply	Tread Dept	h Ibs	Load lbs
MRT-D30105K	30X10 R15	MRT / RACE SERIES PROARMOR DUAL THREAT - <b>NEW</b>	10	16/25	36	1235
MRT-D32105K	32X10 R15	MRT / RACE SERIES PROARMOR DUAL THREAT - <b>NEW</b>	10	16/25	37	1390

**Sticky** 

Hard



MADE FOR THE TOUGHEST TERRAIN











TRUCK TIRE
MRT XROX DD E-RATED



MRT SS - RUBBER COMPOUND

"STICKY COMPOUND THAT WEARS"

Puncture Resistance

| bs | 500 | MRT | Competitors | 300 | 200 | Competitors | Compet

Part Number		Size	Description Items	Ply T	read Depth	lbs	Load lbs	Sidewalls
	MRT-X3056517K	LT305/65R17	MRT / XROX DD TRUCK TIRE - 64 DURO	10	16/25	64	3200	DOT/COMP





 MRT-R33105K
 33X10 R15
 MRT / RACE - STICKY 59/52-42 DURO - DOT COMPLIANT
 8
 20\32
 39
 1390
 6XKEVLAR

 MRT-RS33105K
 33X10 R15
 MRT / RACE - SUPER STICKY 59/52-42 DURO - DOT COMP
 8
 20\32
 39
 1390
 6XKEVLAR



 Part Number
 Size
 Description Items
 Ply Tread Depth Ibs
 Load Ibs
 Sidewalls

 MRT-X35105K
 35X10.5K R15
 MRT/XROX DD - STICKY - 59/52-42 DURO - DOT COMPLIANT
 8
 25/32
 47
 1760
 6XKEVLAR

 MRT-XS35105K
 35X10.5K R15
 MRT/XROX DD - SUPER STICKY - 59/52-42 DURO - DOT COMP
 8
 25/32
 47
 1760
 6XKEVLAR



 MRT-RS2795K
 27X9.5 R15
 MRT / RALLY SNAKE - 64/59 DURO - NEW
 10
 13/32
 24
 1020
 2XNYLON















**Part Number** 

Size

Ply Tread Depth Ibs **Load lbs** Sidewalls

MRT-R331055K 33X10.5 R16 MRT / ROCKY 42 DURO - STICKY - DOT COMPLIANT

1760

4XKEVLAR

"BEST ALL-TERRAIN TIRE"

**Description Items** 

3X KEVLAR



Ply Tread Depth lbs Load lbs **Part Number Description Items Sidewalls** Size

MRT-S30955K 30X9.5 R15 MRT / HAMMER / SUMMIT - DOT COMPLIANT 0.75 1330 3XKEVLAR


"BEST UTV / ATV / RANGER TIRE"

3X KEVLAR



rarcivallibei	Size	Description items	Piy	rread Depth	IDS	LOAG IDS	Sidewalls
MRT-A2694K	26X9 R14	MRT TRAIL MASTER PRO - DOT COMPLIANT	8	1	28	1000	3XKEVLAR
MRT-A26114K	26X11 R14	MRT TRAIL MASTER PRO - DOT COMPLIANT	8	1	32	1330	3XKEVLAR





# LIGHT TRUCK WHEELS

Wheels Now Available!



**STYLE 313/ENDURO** 

MATTE BLACK / Gold Rivets

#### **Light Truck Wheels**

Size	Offset	PCD	C/B	Backspace
17x9.0	20	5x150	110.3	5.79
17x9.0	20	5x139.7	83.06	5.79
17x9.0	-6	5x139.7	83.06	4.75
17x9.0	-6	5x114.3	83.06	4.75
17x9.0	20	5x127	83.06	5.79
17x9.0	-6	5x127	83.06	4.75
17x9.0	20	6x139.7	107.95	5.79
17x9.0	-6	6x139.7	107.95	4.75
17x9.0	20	6X135	107.95	5.79
17x9.0	-6	6x135	107.95	4.75
17x9.0	-6	Blank	107.95	4.75
17x9.0	20	8x165.1	125.2	5.79
17x9.0	-6	8x165.1	125.2	4.75
17x9.0	20	8x170	125.2	5.79
17x9.0	-6	8x170	125.2	4.75
17x9.0	20	8x180	125.2	5.79
17x9.0	-6	8x180	125.2	4.75
17x9.0	-6	Blank	125.2	4.75
17x9.0	20	8x180	125.2	5.79
17x9.0	20	Blank	125.2	5.79



# **STYLE 313/ENDURO**MATTE BRONZE FULL

PAINT / Gold Rivets



## **STYLE 313/ENDURO**

MATTE BLACK MACHINED FACE/ Silver Rivets





# **UTV/ATV RACE WHEELS**

#### 625 BEAD LOCK



### 626 NON-BEAD LOCK



#### 625 Bead Lock

Size	Offset	PCD	C/B	Style	Backspace	Color
15X7	13	4X156.2	121	BEAD LOCK BILLET CENTER	4+3	Black
15x7	13	Blank	121	BEAD LOCK BILLET CENTER	4+3	Black
15X7	38	4x156.2	121	BEAD LOCK BILLET CENTER	5+2	Black
15X7	38	Blank	121	BEAD LOCK BILLET CENTER	5+2	Black
15X7	-38	4x156.2	121	BEAD LOCK BILLET CENTER	3+4	Red

#### 626 Non-Bead Lock

15X6	13	4X156.2	128	SPLIT CENTER - 190 Rolled Lip	4+2	Satin Black
15X6	13	4X156.2	128	BILLET CENTER - 190 Rolled Lip	4+2	Satin Black
15X6	13	BLANK	31.1	SPLIT CENTER - 190 Rolled Lip	4+2	Satin Black
15X6	13	BLANK	31.1	BILLET CENTER - 190 Rolled Lip	4+2	Satin Black
15x6	0	4X156.2	128	SPLIT CENTER - 190 Rolled Lip	3+3	Satin Black
15x6	0	4X156.2	128	BILLET CENTER - 190 Rolled Lip	3+3	Satin Black
15x6	0	BLANK	31.1	SPLIT CENTER - 190 Rolled Lip	3+3	Satin Black
15x6	0	BLANK	31.1	BILLET CENTER - 190 Rolled Lip	3+3	Satin Black







## MRT UTV Race Tire Dimensions

	IVIR	UI	v Race Tire Dimensio	ns	Q(	<b>HIYCO</b>	MEOU	W.
	Part Number	Size	Description Items		Plv	Tread Dep	th lbs	Load lbs
195	MRT-R28104K	28X10 R14	MRT / RACE MRT RACE SERIES PROARMOR CRAWLER XR		8	17/32	32	1100
	MRT-R30104K	30X10 R14	MRT / RACE MRT RACE SERIES PROARMOR CRAWLER XR		8	17/32	34	1330
アンショ	MRT-R30905K	30X9 R15	MRT / RACE MRT RACE SERIES PROARMOR CRAWLER XR		8	17/32	32	1330
アノー	MRT-R32105K	32X10 R15	MRT / RACE MRT RACE SERIES PROARMOR CRAWLER XR		8	16/25	37	1390
	1777 1152203K	32/10 /113	min'y line min line selles Homilion divide en mi			10,23	3,	1330
5	MRT-X30104K	30X10 R14	MRT / XROX DD RACE SERIES PROARMOR CRAWLER XG		8	25/32	38	1170
	MRT-X32104K	32X10 R14	MRT / XROX DD RACE SERIES PROARMOR CRAWLER XG		8	25/32	41	1420
	MRT-XS32104K	32X10 R14	MRT / XROX DD RACE SERIES PROARMOR CRAWLER XG - SUPER	STICKY	8	25/32	42	1420
	MRT-X32105K	32X10 R15	MRT / XROX DD RACE SERIES PROARMOR CRAWLER XG		8	25/32	41	1390
END	MRT-X32105K	32X10.5R16	MRT / XROX DD RACE SERIES PROARMOR CRAWLER XG		8	25/32	44	1430
and the same of the same of		1						
	MRT-D30105K	30X10 R15	MRT / RACE SERIES PROARMOR DUAL THREAT - NEW		10	16/25	36	1235
	MRT-D32105K	32X10 R15	MRT / RACE SERIES PROARMOR DUAL THREAT - <b>NEW</b>		10	16/25	37	1390
三三								
	Part Number	Size	Description Items	Ply Tre	ead Deptl	n lbs Loa	d lbs S	idewalls
	MRT-R33105K	33X10 R15	MRT / RACE - STICKY - 59/52-42 DURO - DOT COMPLIANT	8	20/32	<i>39</i> 1.	390 62	KEVLAR
	MRT-RS33105K	33X10 R15	MRT / RACE - SUPER STICKY - 59/52-42 DURO - DOT COMPLIANT	8	20/32	<i>39</i> 1.	390 62	KKEVLAR
5525	MRT-X35105K	35X10.5R15	MRT / XROX DD - STICKY - 59/52-42 DURO - DOT COMPLIANT	8	25/32	47 1	760 62	KEVLAR
	MRT-XS35105K	35X10.5R15	MRT / XROX DD - SUPER STICKY - 59/52-42 DURO - DOT COMPLIANT	8	25/32	47 1	760 62	KEVLAR
	MRT-R331055K	33X10.5 R16	MRT / ROCKY 42 DURO SUPER STICKY - DOT COMPLIANT	10	25/32	44 1	760 4)	KEVLAR
A-COCK	MRT-RS2795K	27X9.5 R15	MRT / RALLY SNAKE - 64/59 DURO - DOT COMPLIANT - NEW	8	13/32	24 10	020 2	XNYLON
	MRT-S30955K	30X9.5 R15	MRT / HAMMER / SUMMIT - DOT COMPLIANT	8	0.75	36 1.	330 3	KEVLAR
are.								
	MRT-A2694K	26X9 R14	MRT / TRAIL PRO MASTER - DOT COMPLIANT	8	1	28 10	000 3	KEVLAR
	MRT-A26114K	26X11 R14	MRT / TRAIL PRO MASTER - DOT COMPLIANT	8	1			KEVLAR
ALC: NO THE REAL PROPERTY AND ADDRESS OF THE PERTY ADDRESS OF TH								